

Declaration on materials and the environment

Product	Туре	0560283015050	
	Description	Screw fittings	
	Range	Valves	
Product usage	Typical energy consumption p.a.	not applicable	
	CE conformity	PDS 56.090	
	Servicing, maintenance	PDS no maintenance required	
	How the environment benefits	see last page	
Risk to the environment in the event of damage	Fire protection as per	EN 60695-2-11, EN 60695-10-2	
	Fire load ⁽¹⁾	MJ	
	Parts containing halogen (causing corrosive smoke)	none	
	Pollutive liquids	none	
	Explosive substances	none	
Packaging*	LDPE	210 g	
	⁽¹⁾ See Remarks on last page		

*Directive 94/62/EC and follow-up document; decision 97/129/EC

Materials Total weight of product (2) 1001170 g Safety data sheet EU waste code** Synthetics 951175 g not required 20.01.40 Metal Brass 951155 g not required 20.01.40 Miscellaneous Seal: organic fibres compound with NBR 515 g yes 20.01.39 Special components None 515 g yes 20.01.39			MD 0560283015/2		
Metal Brass 951155 g not required 20.01.40 Miscellaneous Seal: organic fibres compound with NBR 515 g yes 20.01.39 Special components Ves 20.01.39	Materials	Total weight of product ⁽²⁾	1001170 g	Safety data sheet	
Brass 951155 g not required 20.01.40 Miscellaneous	Synthetics				
Brass951155 gnot required20.01.40Miscellaneous Seal: organic fibres compound with NBR515 gyes20.01.39Special components515 gyes20.01.39					
Miscellaneous Seal: organic fibres compound with NBR 515 g yes 20.01.39 Special components	Metal				
Seal: organic fibres compound with NBR515 gyes20.01.39Special components	Brass		95…1155 g	not required	20.01.40
Seal: organic fibres compound with NBR515 gyes20.01.39Special components					
Special components	Miscellaneous				
	Seal: organic	fibres compound with NBR	515 g	yes	20.01.39
None	Special compon	ents			
	None				

N.B.:

Silicone content: lubricant and parts used contain no silicone

⁽²⁾ See **Remarks** on last page **Directive 75/442/EEC and follow-up document; decision 2001/118/EC

Disposal	Product: Can be completely recycled as scrap metal. Fr. Sauter Ltd. observes the European directive 2002/95/EG (RoHS); the company's soldered products have been lead-free since 01.07.2006. Special treatment of particular components may, under certain circumstances, be either compulsory by law or ecologically advisable.				
	Packaging: Recyclable Observe local regulations and the latest applicable laws.				
	Special notes: should be replaced only when not under pressure				
Remarks	Remarks ⁽¹⁾ Fire load, depending on type: none				
	⁽²⁾ Weight, depending on type: 0560283015	100 g			
	0560283020	167 g			
	0560283025	296 g			
	0560283032	430 g			
	0560283040	620 g			
	0560283050	1170 g			
How the environment benefits	Optimum use of raw materials.				

Disclaimer: This declaration is solely for information purposes.

If circumstances arise, Sauter may change the above-mentioned specifications without prior notice. Fr. Sauter Ltd. expressly rejects any liability for damage occurring due to the above information.

Further information on environmental aspects in general and on disposal in particular can be obtained from the local Sauter agent.