

# Declaration on materials and the environment

Product	Туре	EY-EM520526	
	Description	Remote IO-Module 230 V~ ecoLink520526	
	Range	EY-modulo 5	
Product usage	Typical energy consumption p.a.	35 kWh	
	CE conformity	PDS 94.075	
	Servicing, maintenance	PDS 94.075	
	How the environment benefits	see last page	
Risk to the environment in the event of damage	Fire protection as per	EN 60695-2-11, EN 60695-10-2	
	Fire load <sup>(1)</sup>	7.4 - 7.8 MJ	
	Parts containing halogen (causing corrosive smoke)	none	
	Pollutive liquids	none	
	Explosive substances	none	
Packaging*	Cardboard PAP 21 Paper PAP 22	27.5 g 10.5 g	

<sup>(1)</sup> See **Remarks** on last page

<sup>\*</sup>Directive 94/62/EC and follow-up document; decision 97/129/EC

Materials	Total weight of product <sup>(2)</sup>	304.5 – 320.5 g	Safety data sheet	EU waste code**
Synthetics				
PC		52.2 g	Yes	20 01 39
PC+ABS		36.5 g	Yes	20 01 39
Metal				
Steel, various allo	pys	1 g	Not required	20 01 40
Printed circuit boar	rd			
Printed circuit box	ard assembly, lead-free solder	214.8 – 231 g	Not required	20 01 36
Miscellaneous				
none				
Special component	ts			
none				_

N.B.:

Silicone content: none of the parts used contain any silicone.

<sup>(2)</sup> See **Remarks** on last page \*\*Directive 75/442/EEC and follow-up document; decision 2001/118/EC

## **Disposal**



#### **Product:**

For its disposal, the product should be treated as waste containing electrical and electronic equipment (electrical/electronic waste) and should not be disposed of as household waste. This applies in particular to the printed circuit board.

Fr. Sauter Ltd. observes the European directive 2002/95/EG (RoHS); the company's soldered products have been lead-free since 01.07.2006. Special treatment of particular components may, under certain circumstances, be either compulsory by law or ecologically advisable.

#### Packaging:

Recyclable

Observe local regulations and the latest applicable laws.

#### Special notes:

none

#### Remarks

<sup>(1)</sup> Fire load, depending on type:	
EY-EM520F001	7.8 MJ
EY-EM521F001	7.4 MJ
EY-EM526F001	7.6 MJ
(2) Weight, depending on type:	
<sup>(2)</sup> Weight, depending on type: EY-EM520F001	320.5 g
	320.5 g 304.5 g
EY-EM520F001	J

# How the environment benefits

### Disclaimer: This declaration is solely for information purposes.

If circumstances arise, Sauter may change the above-mentioned specifications without prior notice. Fr. Sauter Ltd. expressly rejects any liability for damage occurring due to the above information.

Further information on environmental aspects in general and on disposal in particular can be obtained from the local Sauter agent.

<sup>-</sup> Easy to disassemble for specialist disposal of materials