

Declaration on materials and the environment

Product	Туре	XAFP100F001	
	Description	Flow probe for use in ventilation ducts	
	Range	Sensors and transducers	
Product usage	Typical energy consumption p.a.	0 kWh	
	CE conformity	PDS 32.040	
	Servicing, maintenance	PDS 32.040	
	How the environment benefits	see last page	
Risk to the environment in the event of damage	Fire protection as per	EN 60695-2-11, EN 60695-10-2	
	Fire load ⁽¹⁾	5.8 MJ	
	Parts containing halogen (causing corrosive smoke)	none	
	Pollutive liquids	none	
	Explosive substances	none	
Packaging*	Cardboard PAP 21 Paper PAP 22	125 g 12 g	
	⁽¹⁾ See Remarks on last page		

*Directive 94/62/EC and follow-up document; decision 97/129/EC

Materials	Total weight of product ⁽²⁾	214.6 g S	Safety data sheet	EU waste code**
Synthetics				
PA6		94 g	Yes	20 01 39
PE		0.3 g	Yes	20 01 39
POM		4 g	Yes	20 01 39
Printed in Switzerland Right of amendment reserved N.B.: A comma between card numbers denotes a decimal p © Fr. Sauter AG, CH-4016 Ba	linal point			7132040003 03

			MD 32.040/2
PUR	110 g	Yes	20 01 39
Silicone	1.3 g	Yes	20 01 39
Metal			
Steel, various alloys	5 g	Not required	20 01 40
Printed circuit board			
none			
Miscellaneous			
none			
Special components			
none			
N.B.:			

Silicone content: Plugs made of silicone can be used as an option.

⁽²⁾ See **Remarks** on last page **Directive 75/442/EEC and follow-up document; decision 2001/118/EC

 Product: For its disposal, the product should be treated as waste containing electrical and electronic equipment (electrical/electronic waste) and should not be disposed of as household waste. This applies in particular to the printed circuit board. Fr. Sauter Ltd. observes the European directive 2002/95/EG (RoHS); the company's soldered products have been lead-free since 01.07.2006, unless stated otherwise. Special treatment of particular components may, under certain circumstances, be either compulsory by law or ecologically advisable.
Packaging: Recyclable
Observe local regulations and the latest applicable laws.
Special notes: none
⁽¹⁾ Fire load, depending on type: none
⁽²⁾ Weight, depending on type: none
 Easy to assemble and dismantle Can be completely dismantled for specialist disposal of components and materials

If circumstances arise, Sauter may change the above-mentioned specifications without prior notice. Fr. Sauter Ltd. expressly rejects any liability for damage occurring due to the above information.

Further information on environmental aspects in general and on disposal in particular can be obtained from the local Sauter agent.