

# Declaration on materials and the environment

Product	Туре	RCP40F001	
	Description	Damper control unit	
		Trapezium diagram Pneumatics Centair controller system	
	Range		
<b>D</b>	Fr. Coutor I td		
Process supervisor	Fr. Sauter Ltd. Im Surinam 55, CH-4016 Basle		
	Management system certified ISO 9001 ISO 9001:2000 ISO 14001:2004 OHSAS 18001:1999	since by 10 <sup>th</sup> Aug. 1993 SQS 10 <sup>th</sup> Aug. 2002 SQS 10 <sup>th</sup> Aug. 2005 SQS 10 <sup>th</sup> Aug. 2005 SQS	
Environmentally-compatible product design	Based on	Management system Fr. Sauter Ltd.	
	Process	Business process Product innovation	
Product usage	Typical energy consumption p.a.	No energy consumption	
	CE conformity	PDS 68.210	
	Servicing, maintenance	PDS 68.210	
	How the environment benefits	see last page	
Risk to the environment in the event of damage	Fire protection as per	EN 60695-2-11, EN 60695-10-2	
	Fire load <sup>(1)</sup>	16.8 MJ	
	Parts containing halogen (causing corrosive smoke)	none	
	Pollutive liquids	Silicone grease, silicone oil	
	Explosive substances	none	
Packaging*	Cardboard PAP 21	102.5 g	
	(1) See <b>Remarks</b> on last page		

<sup>\*</sup>Directive 94/62/EC and follow-up document; decision 97/129/EC

				MID 66.210/2
Materials	Total weight of product (2)	680 g	Safety data sheet	EU waste code**
Synthetics				
PC		90 g	Yes	20 01 39
PC+ABS		364 g	Yes	20 01 39
PA6		54 g	Yes	20 01 39
PUR		0.2 g	Yes	20 01 39
POM		0.5 g	Yes	20 01 39
NBR		2.5 g	Yes	20 01 39
EPDM		0.8 g	Yes	20 01 39
PTFE (Teflon®)		1 g	Yes	20 01 39
Silicone rubber, Elastosil LR3003		1 g	Yes	20 01 39
Silicone (tubes/diaphragms)		31 g	Yes	20 01 39
Metal				
Steel, various allo	pys	69.5 g	Not required	20 01 40
Aluminum, all allo	pys	19 g	Not required	20 01 40
Copper, all alloys		46.5 g	Not required	20 01 40
Printed circuit boar	rd			
Printed board assembly			Non-existent	
Miscellaneous				
None				
Special component	ts			
Adhesive (Loctite	493)	0.001 g	Yes	20 01 99
Silicone oil (AK 2	50)	0.001 g	Yes	20 01 26
Silicone grease		0.001 g	Yes	20 01 26
Fixing bracket (st	eel)	24.5 g	Not required	20 01 40
Scale discs (Chromolux 700 card)		0.6 g	Not required	20 01 99

# N.B.:

Silicon content: Apart from the tubes and diaphragms, all parts are silicone-free

<sup>(2)</sup> See **Remarks** on last page \*\*Directive 75/442/EEC and follow-up document; decision 2001/118/EC

## **Disposal**



#### **Product:**

For its disposal, the product should be treated as waste containing electrical and electronic equipment (electrical/electronic waste) and should not be disposed of as household waste. This applies in particular to the printed circuit board.

Fr. Sauter Ltd. observes the European directive 2002/95/EG (RoHS); the company's soldered products have been lead-free since 01.07.2006. Special treatment of particular components may, under certain circumstances, be either compulsory by law or ecologically advisable.

#### Packaging:

Recyclable

Observe local regulations and the latest applicable laws.

#### **Special notes:**

none

# Remarks

(1) Fire load, depending on type:

none

(2) Weight, depending on type:

none

# How the environment benefits

Can be completely dismantled for specialist disposal of components and materials

## Disclaimer: This declaration is solely for information purposes.

If circumstances arise, Sauter may change the above-mentioned specifications without prior notice. Fr. Sauter Ltd. expressly rejects any liability for damage occurring due to the above information.

Further information on environmental aspects in general and on disposal in particular can be obtained from the local Sauter agent.